

Conforms to HCS 2012 - United States

SS10 BARE METAL SEALER (RESIN)

Section 1. Identification

PRODUCT IDENTIFIER:

PRODUCT NAME: SS10 BARE METAL SEALER

OTHER MEANS OF IDENTIFICATION:

SDS#: SS10

RECOMMENDED USE OF THE CHEMICAL AND RESTRICTIONS ON USE:

RECOMMENDED USE: Adhesive/Surfacer

DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:

SUPPLIER ADDRESS:

Promax America LLC.

1910 5TH Avenue

River Grove, IL 60171

EMERGENCY PHONE NUMBER: INFOTRAC - (800)-535-5053

Section 2. Hazards identification

APPEARANCE: Blue liquid PHYSICAL STATE: Liquid

CLASSIFICATION:

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Carcinogenicity	Category 2

SIGNAL WORD:

WARNING

HAZARD STATEMENTS:

Causes skin irritation
Causes serious eye irritation
May cause an allergic skin reaction
Suspected of causing cancer







Obtain special instructions before use

Do not handle until all safety precautions have been read & understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fumes/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

PRECAUTIONARY STATEMENTS - RESPONSE:

If exposed or concerned: seek medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present & easy to do. Continue rinsing. Seek medical attention

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash it before reuse

If skin irritation or rash occurs: Seek medical attention

PRECAUTIONARY STATEMENTS - DISPOSAL:

Dispose of contents/container to an approved waste disposal plant

OTHER HAZARDS:

Toxic to aquatic life with long-lasting effects

UNKNOWN ACUTE TOXICITY:

10-15% of the mixture consists of ingredients of unknown acute toxicity

Section 3. Composition/information on ingredients

CHEMICAL NAME	CAS NO	WEIGHT-%
Bisphenol A Diglycidyl Ether	25068-38-6	80-90
Amorphous Silica	67762-90-7	5-10
Oxirane, 2,2'-[(2,2-dimethyl-1,3-propanediyl)bi s(oxymethylene)]bis-	17557-23-2	1-5
(3-Glycidyloxypropyl)trimethoxysilan e	2530-83-8	1-3
Aliphatic diglycidyl ether	9072-62-2	1-3
Carbon Black	1333-86-4	0-1

Any concentration shown as a range is to protect confidentiality or is due to batch variation. There are no additional ingredients present that, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid measures

FIRST AID MEASURES:

GENERAL ADVICE: Provide this SDS to medical personnel for treatment



EYE CONTACT: Rinse cautiously with water for several minutes. Remove contact lenses, if present & easy to do. Continue rinsing. Call a physician.

SKIN CONTACT: Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation or rash occurs: Seek medical advice/attention

INHALATION: Remove exposed individuals to fresh air for 20 minutes. Consult a physician/poison center if the individual's condition declines or if symptoms persist

INGESTION: Clean mouth with water and drink afterward plenty of water

MOST IMPORTANT SYMPTOMS AND EFFECTS:

SYMPTOMS: Eye, skin, and/or respiratory irritation. Exposed individuals may experience eye tearing, redness, and discomfort. Will cause gastrointestinal tract irritation

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY: NOTES TO PHYSICIAN: Treat symptomatically

Section 5. Fire-fighting measures

EXTINGUISHING MEDIA:

CO2, dry chemical, foam, and water fog

UNSUITABLE EXTINGUISHING METHOD: Not determined

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

Product is not flammable

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Section 6. Accidental release measures

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

PERSONAL PRECAUTIONS: Wear protective clothing as described in Section 8 of this safety data sheet

ENVIRONMENTAL PRECAUTIONS: Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional ecological information

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:

METHODS FOR CONTAINMENT: Prevent further leakage or spillage if safe to do so. Contain of Inert material

METHODS FOR CLEAN-UP: Soak up with inert, absorbent material. Place in appropriate



Containers for disposal. Discard any product, residue, disposable container, or liner in full compliance

With federal, state, and local regulations

Section 7. Handling and storage

PRECAUTIONS FOR SAFE HANDLING:

ADVICE ON SAFE HANDLING: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Handle in accordance with good industrial hygiene and safety practices. Keep out of reach of children. Wash face, hands, and any exposed skin thoroughly after handling. Use personal protection recommended in Section 8. Avoid breathing dust/fumes/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

STORAGE CONDITIONS: Keep container tightly closed and store in a cool, dry & well-ventilated place. Keep locked Up and out of reach of children.

INCOMPATIBLE MATERIALS: Acids, Amines, Mercaptans, Strong oxidizing agents

Section 8. Exposure controls/personal protection

CHEMICAL NAME	ACGIH TLV	OSHA PEL	NIOSH IDLH
Carbon Black 1333-86-4	TWA: 3 mg/m³ inhalable fraction	TWA: 3.5 mg/m³ (vacated) TWA: 3.5 mg/m³	IDLH: 1750 mg/m³ TWA: 3.5 mg/m³ TWA: 0.1 mg/m³ Carbon black in presence of Polycyclic aromatic hydrocarabons PAH
Quartz 14808-60-7	TWA: 0.025 mg/m³ respirable fraction	(vacated) TWA: 0.1 mg/m³ respirable dust (30)/(%SiO2 + 2) mg/m³ TWA total dust (250)/(%SiO2 + 2) mg/m³ TWA respirable fraction	ILH: 50 mg/m³ respirable dust TWA: 0.05 mg/m³ respirable dust



EXPOSURE GUIDELINES:

APPROPRIATE ENGINEERING CONTROLS:

ENGINEERING CONTROLS: Mechanical ventilation or local exhaust ventilation is recommended

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT:

EYE/FACE PROTECTION: Goggles

SKIN & BODY PROTECTION: Solvent resistant gloves. Wear suitable protection clothing

RESPIRATORY PROTECTION: Wear an appropriate NIOSH/MSHA-approved respirator if ventilation is inadequate

GENERAL HYGIENE CONSIDERATIONS: Avoid contact with skin, eyes, and clothing. After handling this product, wash your hands before eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown in section 4 of this SDS. Launder contaminated clothing before reuse

Section 9. Physical and chemical properties

APPEARANCE:

PHYSICAL STATE:

APPEARANCE:

COLOR:

PROPERTY VALUES:

PH: Not determined **MELTING POINT:** Not determined **BOILING POINT:** Not determined **FLASH POINT:** >93.33°C / >200°F **EVAPORATION RATE:** Not determined **FLAMMABILITY:** Not determined **UPPER FLAMMABILITY:** Not determined **LOWER FLAMMABILITY:** Not determined **MATERIAL V.O.C.:** Negligible

VAPOR PRESSURE: Not determined VAPOR DENSITY: Not determined

SPECIFIC GRAVITY: 1.19-1.22

WATER SOLUBILITY: Insoluble in water SOLUBILITY IN OTHER SOLVENTS: Not determined PARTITION COEFFICIENT: Not determined AUTO-IGNITION TEMP.: Not determined DECOMPOSITION TEMP.: Not determined



KINEMATIC VISCOSITY: Not determined

DYNAMIC VISCOSITY: Not determined

EXPLOSIVE PROPERTIES: Not determined

OXIDIZING PROPERTIES: Not determined

Section 10. Stability and reactivity

REACTIVITY:

Not reactive under normal conditions

CHEMICAL STABILITY:

Stable under recommended storage conditions

POSSIBILITY OF HAZARDOUS REACTIONS:

None under normal processing

HAZARDOUS POLYMERIZATION: Hazardous polymerization does not occur

CONDITIONS TO AVOID:

Heat, flames, and sparks. Keep out of reach of children

INCOMPATIBLE MATERIALS:

Acids, Amines

HAZARDOUS DECOMPOSITION PRODUCTS:

HES, Amines, CO, CO2, H2S SO2, NO2

Section 11. Toxicological information

INFORMATION ON LIKELY ROUTES OF EXPOSURE:

PRODUCT INFORMATION:

EYE CONTACT: Causes serious eye irritation

SKIN CONTACT: Causes skin irritation. Prolonged contact may cause redness and irritation

INHALATION: May cause irritation if inhaled

INGESTION: May cause gastrointestinal irritation, nausea, diarrhea, and vomiting.

COMPONENT INFORMATION:

CHEMICAL NAME	ORAL LD50	DERMAL LD50	INHALATION LC50
Bisphenol A Diglycidyl Ether	=11400 mg/kg (Rat)	-	-



25068-38-6			
Oxirane, 2,2'-[2,2-dimethyl-1,3-propanediyl) bis(oxymethylene)]bis- 17557-23	=4500 mg/kg (Rat)	-	-
(3-Glycidyloxypropyl)trimethoxysila ne 2530-83-8	=22600 qL/kg (Rat)	=3970 qL/kg (Rabbit)	-
Carbon Black 1333-86-4	>15400 mg/kg (Rat)	>3 g/kg (Rabbit)	-
Quartz 14808-60-7	=500 mg/kg (Rat)		

INFORMATION ON PHYSICAL, CHEMICAL AND TOXICOLOGICAL EFFECTS:

SYMPTOMS: Please see section 4 of this SDS for symptoms

<u>DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM</u> EXPOSURE:

SENSITIZATION: May cause allergic skin reaction

CARCINOGENICITY: This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP

NUMERICAL MEASURES OF TOXICITY:

Not determined

UNKNOWN ACUTE TOXICITY: 5-10% of the mixture consists of ingredients of unknow toxicity

PERSISTENCE/DEGRADABILITY:

Not determined

BIOACCUMULATION:

Not determined

Section 12. Ecological information

ECOTOXICITY:

Toxic to aquatic life with long-lasting effects

CHEMICAL NAME	ALGEA/AQUATIC PLANTS	FISH	TOXICITY TO MICROORGANISMS	CRUSTACEA
Carbon Black 1333-86-4				5600: 24h Daphnia magna mf/L EC50



PERSISTENCE/DEGRADABILITY:

Not determined

BIOACCUMULATION:

Not determined

MOBILITY:

Not determined

OTHER ADVERSE EFFECTS:

Not determined

Section 13. Disposal considerations

WASTE TREATMENT METHODS:

DISPOSAL OF WASTES: Disposal should be in accordance with applicable regional, national, and local laws and regulations

CONTAMINATED PACKAGING: Disposal should be in accordance with applicable regional, national and local laws and regulations

Section 14. Transport information

NOTE: Please see current shipping paper for the most up-to-date shipping information, including exemptions and special circumstances

DOT: Not regulated

IATA: Not regulated

IMDG:

MARINE POLLUTANT: This material may meet the definition of a marine pollutant

Section 15. Regulatory information

LEGEND:

TSCA – United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substance List

EINECS/ELINCS - European inventory of Existing Chemical Substances/European List of Notified

Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances



KECL – Korean Existing and Evaluated Chemical Substances PICCS – Philippines Inventory of Chemicals and Chemical Substances

US FEDERAL REGULATIONS:

SARA 313:

Not determined

US STATE REGULATIONS:

CALIFORNIA PROPOSITION 65:

CHEMICAL NAME	CALIFORNIA PROPOSITION 65
Carbon Black 1333-86-4	Carcinogen
Quartz 14808-60-7	Carcinogen

US STATE RIGHT-RO-KNOW REGULATIONS:

CHEMICAL NAME	NEW JERSEY	MASSACHUSETTS	PENNSYLVANIA
Carbon Black 1333-86-4	X	X	X
Quartz 14808-60-7	Х	Х	х

Section 16. Other information

NFPA:

HEALTH HAZARDS:

Not determined

FLAMMABILITY:

Not determined

INSTABILITY:

Not determined

SPECIAL HAZARDS:

Not determined

HMIS:

HEALTH HAZARDS:

2

FLAMMABILITY:

1



PHYSICAL HAZARDS:

n

PERSONAL PROTECTION:

Not determined

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



Conforms to HCS 2012 - United States

SS10 BARE METAL SEALER (HARDENER)

Section 1. Identification

PRODUCT IDENTIFIER:

PRODUCT NAME: SS10 Bare Metal Sealer

OTHER MEANS OF IDENTIFICATION:

SDS#: SS10

RECOMMENDED USE OF THE CHEMICAL AND RESTRICTIONS ON USE:

RECOMMENDED USE: Sealer/Adhesive

DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:

SUPPLIER ADDRESS:

Promax America LLC 1910 5th Avenue River Grove, IL 60171 (847) 502-2431

EMERGENCY TELEPHONE NUMBER:

EMERGENCY TELEPHONE (24HR): INFOTRAC - (800)-535-5053

Section 2. Hazards identification

APPEARANCE:

CLASSIFICATION:

Carcinogenicity Category 2

SIGNAL WORD:

WARNING

HAZARD STATEMENTS:



Suspected of causing cancer

PRECAUTIONARY STATEMENTS – PREVENTION:

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

PRECAUTIONARY STATEMENTS - RESPONSE:

If exposed or concerned: Seek medical advice/attention



PRECAUTIONARY STATEMENTS - STORAGE:

Store locked up

PRECAUTIONARY STATEMENTS – DISPOSAL:

Dispose of contents/container to an approved waste disposal plant

UNKNOWN ACUTE TOXICITY:

80-90% of the mixture consists of ingredients of unknown toxicity

Section 3. Composition/information on ingredients

CHEMICAL NAME	CAS NO	WEIGHT-%
Mercaptan Polymer	TRADE SECRET	70-80
Benzyl alcohol	100-51-6	9.86
2, 4, 6-tri(dimethylaminomethyl)phenol	90-72-2	5-10
Amorphous silica	67762-90-7	5-10
Zinc Phosphate	7779-90-0	1-3
Titanium dioxide	13463-67-7	0.5-1.0

Any concentration shown as a range is to protect confidentiality or is due to batch variation. There are no additional ingredients present that, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid measures

DESCRIPTION OF NECESSARY FIRST AID MEASURES:

GENERAL ADVICE:

Provide this SDS to medical personnel for treatment

EYE CONTACT:

Immediately flush eyes thoroughly with water for at least 15 minutes. Get immediate medical advice/attention

INHALATION:

Remove exposed individuals to fresh air for 20 minutes. Consult a physician/poison center if the individual's condition declines or if symptoms persist

SKIN CONTACT:

Remove contaminated clothing. Wash the skin immediately with soap and water. Seek medical attention if irritation persists after washing. Wash contaminated clothing before reuse

INGESTION:

Do not induce vomiting without medical advice. Seek medical attention immediately. Rinse mouth



MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED: SYMPTOMS:

Mild eye, skin, and/or respiratory irritation. Exposed individuals may experience eye tearing, redness and Discomfort. Will cause gastrointestinal tract irritation

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY: NOTES TO PHYSICIAN:

Treat symptomatically

Section 5. Fire-fighting measures

SUITABLE EXTINGUISHING MEDIA:

CO2, dry chemical, foam, and water fog

UNSUITABLE EXTINGUISHING MEDIA: Not determined

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

Product is not flammable

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSH/NIOSH (approved or equivalent) and full protective gear.

Section 6. Accidental release measures

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES: PERSONAL PRECAUTIONS:

Wear protective clothing as described in Section 8 of this safety data sheet

ENVIRONMENTAL PRECAUTIONS:

Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional Ecological Information

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:

METHODS FOR CONTAINMENT:

Prevent further leakage or spillage if safe to do so. Contain inert material

METHODS FOR CLEAN-UP:

Soak up with inert absorbent material. Place in appropriate containers for disposal. Discard any product, residue, disposable container, or liner in full compliance with federal, state, and local regulations



Section 7. Handling and Storage

PRECAUTIONS FOR SAFE HANDLING:

ADVICE ON SAFE HANDLING:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Handle in accordance with good industrial hygiene and safety practices. Avoid contact with skin, eyes, or clothing. Keep out of reach of children

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

STORAGE CONDITIONS:

Keep container tightly closed and store in a cool, dry, and well-ventilated place. Keep locked up and Out of reach of children

INCOMPATIBLE MATERIALS:

Acids, Amines, Mercaptans, Strong oxidizing agents

Section 8. Exposure controls/personal protection

CHEMICAL NAME	ACGIH TLV	OSHA PEL	NIOSH IDLH
Titanium dioxide 1346-67-7	TWA: 10 mg/m³	TWA: 15 mg/m³ total dust (vacated) TWA: 10 mg/m³ total dust	IDLH: 5000 mg/m³

APPROPRIATE ENGINEERING CONTROLS:

ENGINEERING CONTROLS: Mechanical ventilation or local exhaust ventilation is recommended

INDIVIDUAL PROTECTION MESURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT EYE/FACE PROTECTION:

Safety glasses with side shields or chemical goggles

SKIN/BODY PROTECTION:

Solvent resistant gloves. Wear suitable protective clothing

RESPIRATORY PROTECTION:

Wear an appropriate NIOSH/MSHA-approved respirator if ventilation is inadequate

GENERAL HYGIENE CONSIDERATIONS:

Avoid contact with skin, eyes, and clothing. After handling this product, wash your hands before eating, drinking, or smoking. If contact occurs, remove contaminated clothing, and if needed, take first aid action shown in section 4 of this SDS. Launder contaminated clothing before reuse.

Section 9. Physical and chemical properties

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:



PHYSICAL STATE: Paste

APPEARANCE: Thick white paste

COLOR: White ODOR: Mercaptan

ODOR THRESHOLD: Not determined

PROPERTY:

PH: Not determined

MELTING POINT: Not determined **BOILING POINT:** Not determined

FLASH POINT:

EVAPORATION RATE: Not determined **FLAMMABILITY:** Not determined

UPPER FLAMMABILITY LIMITS: Not determined **LOWER FLAMMABILITY LIMITS:** Not determined

VAPOR PRESSURE: Not determined VAPOR DENSITY: Not determined MATERIAL V.O.C.: Negligible SPECIFIC GRAVITY: 1.19-1.22

WATER SOLUBILITY: Insoluble in water

SOLUBILITY IN OTHER SOLVENTS: Not determined

PARTITION COEFFICIENT: Not determined

AUTO-IGNITION TEMPERATURE: Not determined **DECOMPOSITION TEMPERATURE:** Not determined

KINEMATIC VISCOSITY: Not determined **DYNAMIC VISCOSITY:** Not determined **EXPLOSIVE VISCOSITY:** Not determined **OXIDIZING VISCOSITY:** Not determined

Section 10. Stability and reactivity

REACTIVITY:

Not reactive under normal conditions

CHEMICAL STABILITY:

Stable under recommended storage conditions

POSSIBILITY OF HAZARDOUS REACTIONS:

None under normal processing

CONDITIONS TO AVOID:

Heat, flames, and sparks. Keep out of reach of children

INCOMPATIBLE MATERIALS:

Acids, Amines, Mercaptans, Strong oxidizing agents

HAZARDOUS DECOMPOSITION PRODUCTS:



HES, AMINES, CO, CO2, HS2, SO2, NO2

Section 11. Toxicological information

INFORMATION ON LIKELY ROUTES OF EXPOSURE:

PRODUCT INFORMATION:

EYE CONTACT:

May cause temporary irritation on eye contact

SKIN CONTACT:

Prolonged contact may cause redness and irritation

INHALATION:

May cause irritation if inhaled

INGESTION:

May cause gastrointestinal irritation, nausea, diarrhea, and vomiting

COMPONENT INFORMATION:

CHEMICAL NAME	ORAL LD50	DERMAL LD50	INHALATION LC50
Benzyl alcohol 100-51-6	=1230 mg/kg (Rat)	=2000 mg/kg (Rabbit)	=8.8 mg/L (Rat) 4h
2, 4, 6-tri(dimethylaminomethyl)phe nol	=1000 mg/kg (Rat)	=1280 mg/kg (Rat)	-
Zinc Phosphate 7779-90-0	>5000 mg/kg (Rat)	-	-
Titanium dioxide 13463-67-7	>10000 mg/kg (Rat)	-	-

INFORMATION ON PHYSICAL, CHEMICAL, AND TOXICOLOGICAL EFFECTS

SYMPTOMS:

Please see section 4 of this SDS for symptoms

<u>DELAYED AND IMMEDIATE EFFECTS AS WELL AS CRHONIC EFFECTS FROM SHORT AND LONG-TERM</u> EXPOSURE:

CARCINOGENICITY:

Suspected of causing cancer

CHEMCIAL NAME	ACGIH	IARC	NTP	OSHA
Titanium dioxide		Group 2B		X



13463-67-7		

NUMERICAL MEASURES OF TOXICITY

ACUTE TOXICITY ESTIMATES:

80-90% of the mixture consists of ingredients of unknown toxicity

Section 12. Ecological information

ECOTOXICITY:

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal

CHEMICAL NAME	ALGEA/AQUATIC PLANTS	FISH	TOXICITY TO MICROORGANISMS	CRUSTACEA
Benzyl alcohol 100-51-6	35: 3 h Anabaena variabilis mg/L EC50	460: 96 h Pimephales promelas mg/L LC50 static 10:96 h Lepomis macrochirus mg/L LC50 static	EC50 = 50 mg/L 5 min EC50 = 63.7 mg/L 15 min EC50 = 63.7 mg/L 5 min EC50 = 71.4 mg/L 30 min	23: 48 h water flea mg/L EC50

PERSISTENCE/DEGRADABILITY:

Not determined

BIOACCUMULATION:

Not determined

MOBILITY:

CHEMICAL NAME	PARTITION COEFFICIENT
Benzyl alcohol 100-51-6	1.1

OTHER ADVERSE EFFECTS:

Not determined

Section 13. Disposal considerations

WASTE TREATMENT METHODS:

DISPOSAL OF WASTES:

Disposal should be in accordance with applicable regional, national and local laws and regulations

CONTAMINATED PACKAGING:

Disposal should be in accordance with applicable regional, national and local laws and regulations

CHEMICAL NAME	RCRA	RCRA - BASIS	RCRA – D	RCRA – U
		FOR LISTING	SERIES WASTES	SERIES WASTES

2, 4, 6-tri(dimethylaminomethyl)phe	Included in waste stream: K060	
nol 90-72-2		

CALIFORNIA HAZARDOUS WASTE STATUS:

CHEMICAL NAME	CALIFORNIA HAZARDOUS WASTE STATUS	
Zin Phosphate 7779-90-0	Toxic	

Section 14. Transport information

NOTE: Please see the current shipping paper for the most up-to-date shipping information, including exemptions and special circumstances

DOT: Not regulated

IATA: Not regulated

IMDG: Not regulated

Section 15. Regulatory information

INTERNATIONAL INVENTORIES: Not determined

LEGEND:

TSCA – United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substance List

EINECS/ELINCS – European inventory of Existing Chemical Substances/European List of Notified

Chemical Substances

ENCS – Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS – Philippines Inventory of Chemicals and Chemical Substances

US FEDERAL REGULATIONS:



SARA313:

CHEMICAL NAME	CAS NO		SARA 313-THRESHOLD VALUES %
Zinc phosphate – 7779-90-0	7779-90-0	1-3	1.0

CWA (CLEAN WATER ACT)

US STATES REGULATIONS: This product contains the following Proposition 65 chemicals

CHEMICAL NAME	CALIFORNIA PROPOSITION 65
Titanium dioxide – 13463-67-7	Carcinogen

CHEMICAL NAME	NEW JERSEY	MASSACHUSETTS	PENNSYLVANIA
Benzyl alcohol 100-51-6		X	X
Zinc phosphate 7779-90-0	х		Х
Titanium dioxide 13463-67-7	Х	х	х

Section 16. Other information

NFPA: HEALTH HAZARDS FLAMMABILITY INSTABILITY SPECIAL HAZARDS

Not determined Not determined Not determined Not determined

<u>HMIS:</u> HEALTH HAZARDS FLAMMABILITY INSTABILITY PERSONAL HAZARDS

2 1 0 Not Determined



Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.